


R8



R8 is ETAP's new series of diffuser luminaires and combines simple design, perfect finish with energy efficiency. These luminaires can be wall or ceiling mounted, suspended, in line or individual which means they have a broad application area, e.g. shops, schools, offices, corridors, meeting rooms or reception areas.








HaloOptics® for high efficiencies

HaloOptics® is a diffuser with a high transmission factor. In traditional diffusers impurities in the material create a diffusing effect which causes a great deal of light to be lost. The HaloOptics® diffuser uses transparent inclusions, which means less light is lost and the luminaire efficiency is higher (up to 95%).


Perfectly lit diffuser

Thanks to the use of the HaloOptics® diffuser, the luminaire is uniformly lit without interfering lamp contours, even the two-lamp versions.

HaloOptics®



Traditional diffusor



HaloOptics® diffusor

The transparent inclusions of HaloOptics® absorb less light; as a result the luminaire efficiency is higher.



Low in maintenance

R8 is easy to maintain, including the in-line luminaires. By turning the two switches on top the diffuser can be opened. This way you can remove each diffuser separately for diffuser cleaning or easy replacement of the T5- \varnothing 16mm lamp. To keep the dust and dirt out, all openings have been minimised.


Installation-friendly

The ceiling and wall models are installed with a mounting plate, which has setscrews in order to install the R8 luminaire straight against the wall in all circumstances. The suspended models come with different suspension sets, pre-mounted as much as possible. The quick adjustment system allows for suspension lengths to be easily adjusted.



By turning the two switches the diffuser is pushed open from the inside, so you can remove each diffuser separately.

R8 is only 90 mm in diameter. Only the luminous part is visible in this clever construction. All technical items are hidden in the top of the cylinder. Elements that could detract from this have been minimised, such as the mounting system and the end pieces.







Wall mounting, horizontal or vertical, individual




Ceiling mounting, individual



Suspended mounting, individual



R8 is available in two standard lengths and as an in-line.



1-lamp or 2-lamp models in one tube.



Wall mounting, in-line, horizontal or vertical




Ceiling mounting, in-line



Suspended mounting, in-line

The diffuser is acrylic. For increased fire safety requirements, R8 is also available in polycarbonate. Which meets the 960°C filament test.




The suspended models come with different suspension sets. The quick adjustment system allows suspension lengths to be easily adjusted.



Models with emergency unit are standard available. They have a larger technical compartment.

R8



- > Pure shape
- > 90 mm diameter
- > Energy efficient: high efficiency thanks to the use of HaloOptics®
- > Uniformly lit diffuser
- > Installation-friendly and easy in maintenance
- > Wide range of mounting possibilities, both individual and in-line

ETAP.SCHREDER – Iluminação Interior, Lda. ■ Rua da Fraternidade Operária, 3A ■ Apartado 1021 ■ 2791-701 Carnaxide
Tel. +351-(0)214 242 600 – Fax +351-(0)214 171 203 ■ e-mail: etap@schreder.pt

ETAP Oficinas centrales ■ c/ Mártires Concepcionistas, 3 - 1ºD ■ 28006 Madrid ■ Tel.: +34 (0)91 402 29 17 ■ Fax: +34 (0)91 402 89 16
ETAP Delegación Cataluña ■ c/ Comte d'Urgell, 153-Eº2a ■ 08036 Barcelona ■ Tel./Fax +34 (0)93 451 71 89
ETAP Delegación Norte ■ c/ Correo, 11 ■ 48005 Bilbao ■ Tel. +34 (0)94 415 05 16 ■ Fax + 34 (0)94 415 05 21
e-mail: info.es@etaplighting.com

ETAP Lighting, U.K. Branch ■ Unit 6 ■ Windsor business Centre ■ Vansittart Estate ■ Windsor ■ Berkshire SL4 1SE
Tel. +44 (0)1753 829970 ■ Fax +44 (0)1753 859208 ■ e-mail: enquiries@etaplighting.com

www.etaplighting.com

